



Khadi









info

Light fixtures for indoor, equipped with SMD LEDs, sand black painted metal structure, smoky gradient glass diffusers.

Corpuri de iluminat pentru interior echipate cu LED-uri SMD, structură din metal vopsită negru mat, dispersoare din sticlă fumuriu degrade.

Apparecchi per interni equipaggiati con LED SMD, struttura in metallo verniciato nero opaco, diffusori in vetro sfumato fumè.

Светильники для внутреннего освещения, оснащенные светодиодами SMD, с металлической структурой, окрашенной в матово-черный цвет, и рассеивателями из стекла дымчатого оттенка.


Beltéri, SMD LED-es lámpák, matt feketére festett fém szerkezet, fokozatos füstűveg diszperzór.

Осветителни тела за интериор, оборудвани с LED-ове SMD, метална структура боядисана в матово черно, дифузери от стъкло с опушен градиент.

Interiérové svietidlá, vybavené SMD LED diódami, kovová konštrukcia s pieskovou čiernou farbou, dymové gradientné sklenené difúzory.



art. **01-3483** Smoke Fade Glass



Led type	SMD LED 3030 10 pcs x 0,6W
Power	6W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	579 lm
Lumen system	370 lm
CRI	90
Not dimmable	
CE IP20	




art. **01-3484** Smoke Fade Glass



Led type	SMD LED 3030 10 pcs x 0,6W
Power	6W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	579 lm
Lumen system	370 lm
CRI	90
Not dimmable	
CE IP20	



art. **01-3485** Smoke Fade Glass



Led type SMD LED 3030 30 pcs x 0,55W
Power 16,5W
Input 220-240V, 50/60Hz
Color temperature 3000K
Lumen source 1760 lm
Lumen system 920 lm
CRI 90
Dimmable (3 step)

CE IP20



art. **01-3486** Smoke Fade Glass



Led type SMD LED 3030 10 pcs x 0,6W
Power 6W
Input 220-240V, 50/60Hz
Color temperature 3000K
Lumen source 579 lm
Lumen system 370 lm
CRI 90
Not dimmable

CE IP20



Multiple pendants can be assembled with one of the canopy options listed on pages 759-761.


Variante multiple de suspensii pot fi asamblate cu ajutorul bazelor optionale prezentate la paginile 759-761.

Sospensioni multiple possono essere installate sui rosoni presenti alle pagine 759-761.

Khadi




 art. **01-3487** Smoke Fade Glass



Led type	SMD LED 3030 50 pcs x 0,52W
Power	26W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	2955 lm
Lumen system	1511 lm
CRI	90
Dimmable (3 step)	
CE IP20	




 art. **01-3488** Smoke Fade Glass



Led type	SMD LED 3030 50 pcs x 0,52W
Power	26W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	2955 lm
Lumen system	1511 lm
CRI	90
Dimmable (3 step)	
CE IP20	




art. **01-3489** Smoke Fade Glass



Led type	SMD LED 3030 70 pcs x 0,5W
Power	35,5W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	4033 lm
Lumen system	2098 lm
CRI	90
Dimmable (3 step)	
CE IP20	



art. **01-3490** Smoke Fade Glass



Led type	SMD LED 3030 50 pcs x 0,52W
Power	26W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	2955 lm
Lumen system	1511 lm
CRI	90
Dimmable (3 step)	
CE IP20	